

Splicing Materials



“B” Polyethylene Tape

Translucent 8-mil polyethylene tape made from electrical grade base material. Intended for use in restoring the dielectric strength between the core and sheath at splices in high dielectric strength cable.

Netco #	PID #	Size	UM	Notes
10010	400278651	3” x 35 ft.	Roll	
10011	996771465	3” x 100 ft.	Roll	

Other sizes available upon request

“B” Splicing Covering

Splice covering plastic sheeting for use as a temporary covering on open splices in aerial and block cables. It is provided in sheets measuring 20” x 24” and rolls as shown below.

Netco #	PID #	Size (.005”Thick)	UM	Notes
10050		48” Wide x 100’ Long	Roll	1/CTN
10051	401917406	48” Wide x 50’ Long	Roll	1/CTN
10052	402393318	4” Wide x 24’ Long	Roll	140/CTN
10053		2” Wide x 24’ Long	Roll	280/CTN
10054	400134946	20” Wide x 24” Long	PKG	10 Sheets/PKG, 20 PKG/CTN

Other sizes available upon request


Holster



A fabricated black plastic holster, designed to hold wire wrapping and unwrapping tools, and a wire stripper. Button Flag allows quick attachment to belt.

Netco #	PID #	Size	UM	Notes
10030	400149787	N/A	EA	


*Will be phased out at some point in the future.



Netco Extruded Plastics, Inc.

30 Tower Street
 Hudson, Mass. 01749
 PH. (978) 562-3485
 FAX. (978) 562-7205
www.netcoplastics.com

Caps and Brush Guards



B Carding Brush Guard

Plastic guard is for covering the B Carding brush. Sidewalls are provided with indentations for gripping the sides of the carding brush.

Netco #	PID #	Size	UM	Notes
10245	400147096	2.125" W x 1" T x 6.625" Long	EA	

*Will be phased out at some point in the future.

F Plastic Cap

The F Plastic Cap is a translucent flexible plastic container for use in waterproofing wire joints by encapsulation.



Netco #	PID #	Size	UM	Notes
10073	400994000		PKG	25/PKG

B Drop Wire Cap

The B Drop Wire Cap is comprised of a length of clear plastic tubing sealed at one end and open at the other end.

Netco #	PID #	Size	UM	Notes
10070	400994000		PKG	25/PKG

D Plastic Cap

The D Plastic Cap is a clear cylindrical container, closed at one end. It is furnished in two sizes. 1/2" and 7/8" Diameter. The item is used to encapsulate splices.

Netco #	PID #	Size	UM	Notes
10071	401120225	1/2"	PKG	100/PKG
10072	400993994	7/8"	PKG	25/PKG



Netco Extruded Plastics, Inc.

30 Tower Street
Hudson, Mass. 01749
PH. (978) 562-3485
FAX. (978) 562-7205
www.netcoplastics.com

Designation Strips & Filler Panels



C & D Designation Strips

These strips are intended for use on most 66 Type Connecting Blocks to identify the circuits terminated on the block. The strips are installed by snap-fitting to the fanning strip at the side of the block. The strips are made of a white polyvinyl chloride plastic with a matte finish, which enables legible designation marks to be readily made with a pen, pencil, or stencil. Three lengths are provided. They can easily be cut shorter with snips, scissors, or cutters. The strips are furnished both blank and lined. Where provided, the lines occur every other row or terminals to indicate pairs.

Netco #	PID #	Length	Type	For Conn. Blk.	Marking	UM / Notes
10201	401139530	10.0	C10	66M	Blank	PC (600/CTN)
10202	401189782	13.3	C13	66B	Blank	PC (600/CTN)
10203	401195813	16.2	C16	66A	Blank	PC (600/CTN)
10211	401119128	10.0	D10	66M	Lined	PC (600/CTN)
10213	400727129	13.3	D13	66B	Lined	PC (600/CTN)
10214	401119136	16.2	D16	66A	Lined	PC (600/CTN)

Other sizes available upon request


TYPE-188 Designation Strips

Available in custom colors and lengths upon request or in the following standard colors: Red, Yellow, Green, Blue, Purple, White, and Clear.

KS-21341 Filler Panel

The KS-21341 filler panel consists of a plastic panel complete with snaps. The L1 is "ochre" in color, the L2 is "blue" in color, and the L5 is "white" in color. Panel is used in terminal boxes to protect contacts.

Netco #	PID #	Type	Color	UM	Notes
10025	401205273	L1	Yellow	PC	32/CTN
10026	401205281	L2	Blue	PC	32/CTN
10027	401205299	L5	White	PC	32/CTN



Netco Extruded Plastics, Inc.

30 Tower Street
Hudson, Mass. 01749
PH. (978) 562-3485
FAX. (978) 562-7205
www.netcoplastics.com

Dampers and Insulators

“B” Vibration Damper



Flexible polyethylene of a special UV compound to withstand weathering, and helically slit with approximately nine turns to the foot. Developed primarily for use on high strength Insulated Line Wire in long span construction. May be installed any place in the span to minimize failure from fatigue caused by wind vibration.

Both ends are notched for ease of installation and to prevent damage to braid during installation.




Netco #	PID #	ID	Wall	Length	Notes
10101	400136040	1/4”	1/16”	1-1/2’	



“B” Pipe Insulator

The “B” Pipe Insulator is an 8” length of polyethylene tubing used to make a joint in a CA 3131 gas feeder pipe.

Netco #	PID #	ID	Wall	Length	Notes
10100	400319356	.615”	.07”	8’	




Netco Extruded Plastics, Inc.

30 Tower Street
Hudson, Mass. 01749
PH. (978) 562-3485
FAX. (978) 562-7205
www.netcoplastics.com

Cable Guards (Squirrel Guard and Weather Guard)

B Cable Guard



The B Cable Guard is an 8" length of split polyethylene tubing for use on a cable to protect the sheath against abrasion. The 1/2" and 1" sizes have ends cut at an angle of 60° to facilitate installation in cold weather. The ends of the 1-1/2" and 2" sizes are cut square.

Netco #	PID #	ID (OD) x Length	UM	Notes
10080	402036008	1/2" (~5/8") x 8"	PKG	30/PKG
10081	402036016	1" (~1-1/4") x 8"	PKG	15/PKG, 8PKG/CTN
10082	402036024	1-1/2" (~1-3/4") x 8"	PKG	10/PKG, 5PKG/CTN
10083	402036032	2" (~2-1/4") x 8"	PKG	10/PKG, 5 PKG/CTN

Other sizes available upon request

Fiber Optic Cable Guard – Orange

Similar to above item. Bright orange color


Netco #	PID #	Size	UM	Notes
10079	998830798	3/4" x 24" long	PC	

Other sizes available upon request

D & E Cable Guards



Netco #	PID #	Size	UM	Notes / Color
10090	401875216	1-1/2" x 10' L	PC	D / White
10091	402520746	1-1/2" x 10' L	PC	D / Black
10092	401875224	2-1/2" x 10' L	PC	D / White
10093	402520753	2-1/2" x 10" L	PC	D / Black
10094	401914536	1-7/8" x 5' L	PC	E / White
10096	401914544	2-3/8" x 5' L	PC	E / White
10095	403662216	1-7/8" x 5' L	PC	E / Black
10097	403662208	2-3/8" x 5' L	PC	E / Black



Netco Extruded Plastics, Inc.

30 Tower Street
 Hudson, Mass. 01749
 PH. (978) 562-3485
 FAX. (978) 562-7205
www.netcoplastics.com

Wire Guards

“C” Wire Guards

Netco #	PID #	Size (ID X Length)	UM	Notes
10060	400147518	15/16" X 36" L	PKG	10 PC / PKG



“P” Wire Guards

Netco #	PID #	Size (ID X Length)	UM	Notes
10065	400147559	7/16" X 36" L	PKG	10 PC / PKG

This helically-slitted plastic tube is for use in protecting multiple drop wire and urban and rural distribution wires from abrasion where tree contacts are unavoidable. The helical slit permits installation of the guard after the wire is placed.

“S” Wire Guards (Similar to above, but without spiral slit)

A tree guard formed from extruded thermoplastic tubing. This guard is used for protecting drop wire from abrasion where tree contacts are unavoidable.

Netco #	PID #	Size (ID X Length)	UM	Notes
10066	458912078	7/16" X 36" L	PKG	10 PC / PKG

“E” Wire Guards


This tubing is made of clear flexible vinyl material for the protection of station wires where attached to walls or passed through partitions.

Netco #	PID #	Size (ID X Length)	UM	Notes
10061	400147526	1/4" X 50' L	COIL	10 CL / CTN

“L” Wire Guards

These Guards of extruded black thermoplastic tubing are for the use in insulating line wire where contacts with trees are unavoidable. The 3/16" size is for insulating unspliced wire.

Netco #	PID #	Size (ID X Length)	UM	Notes
10062	400147534	3/16" X 100' L	COIL	5 CL / CTN



Netco Extruded Plastics, Inc.

30 Tower Street
Hudson, Mass. 01749
PH. (978) 562-3485
FAX. (978) 562-7205
www.netcoplastics.com

Plastic Tubing (Indoor or Outdoor use)

“C” Plastic Tubing



For making connections between the metering panel and individual cables in continuous feed pressure systems. Also used with buried underground and aerial cable as a low-pressure dry air supply line or as a cable bypass.



This weather-resistant plastic tubing is furnished as single tubes, in nominal outside diameters of 1/4”, and 3/8”, or as a sheathed bundle of 3,4,5,7 and 10 tubes. Bundled tubes are enclosed in a black plastic sheath, with a plastic core wrap between the sheath and the tubes.

Single Tubes

Netco #	PID #	OD	Wall Thickness	UM	Notes
10130	400330148	1/4”	.040”	FT	
10134	400330189	3/8”	.062	FT	700 FT / Reel

Bundles of Tubes


Netco #	PID #	OD	# of Tubes	UM	Notes
10180		1/4”	3	FT	
10131	400330155	1/4”	4	FT	
10132	400330163	1/4”	7	FT	
10133	400330171	1/4”	10	FT	
10135	400330197	3/8”	4	FT	
10136	400330205	3/8”	7	FT	
10137	400330213	3/8”	10	FT	



Netco Extruded Plastics, Inc.

30 Tower Street
 Hudson, Mass. 01749
 PH. (978) 562-3485
 FAX. (978) 562-7205
www.netcoplastics.com



Plastic Tubes and Sleeves



“B” Plastic Tubes

Plastic tubes are for use in protecting wire runs in buildings and at building entrances. Furnished in the sizes and the lengths shown below. The 3/8-inch, 1/2-inch and 5/8-inch tubes accommodate one, two and three NP drops, respectively.

Netco #	PID #	ID	Length	UM	Notes
10110	400282398	3/8"	4"	PC	Multiples of 5
10111	400282406	3/8"	6"	PC	Multiples of 5
10112	400282414	3/8"	8"	PC	Multiples of 5
10113	400282422	3/8"	12"	PC	Multiples of 5
10114	400282430	3/8"	16"	PC	Multiples of 5
10115	400282448	1/2"	6"	PC	Multiples of 5
10116	400282455	1/2"	8"	PC	Multiples of 5
10117	400282463	1/2"	12"	PC	Multiples of 5
10118	400282471	1/2"	16"	PC	Multiples of 5
10119	400282489	5/8"	6"	PC	Multiples of 5
10120	400282497	5/8"	8"	PC	Multiples of 5
10121	400282505	5/8"	12"	PC	Multiples of 5
10122	400282513	5/8"	16"	PC	Multiples of 5



“B” Plastic Sleeves

Sleeves of vinyl plastic primarily intended for use in restoring insulation at joints in plastic-insulated cable conductors. The sleeves are furnished in the following sizes which correspond to the nominal inside diameters in thousandths of an inch. Each Sleeve is 3-1/2" Long

Netco #	PID #	ID	Color of Stripe	UM	Notes
10230	400303285	.060"	Orange	PKG	
10231	400303293	.065"	Blue	PKG	
10232	400303301	.075"	Brown	PKG	
10234	400303319	.085"	None	PKG	
10235	400303327	.106"	Black	PKG	
10236	400303335	.133"	Red	PKG	
10237	400303343	.166"	Yellow	PKG	
10238	400303350	.208"	Green	PKG	
10239	400730825	.250"	Violet	PKG	



Netco Extruded Plastics, Inc.

30 Tower Street
 Hudson, Mass. 01749
 PH. (978) 562-3485
 FAX. (978) 562-7205
www.netcoplastics.com

Insulators





Binding Post insulators and terminal punching insulators consist of rigid polyvinyl chloride tubes having a longitudinal slot running the length of the tube. They are red in color. Same as NEKS 16604 insulators in use.

Netco #	PID #	Size	ID X OD	Length	UM	Notes
10271	400151874	#1	.421" x .547"	.625"	PKG	25 / PKG
10272	400151882	#2	.484" x .609"	.625"	PKG	25 / PKG
10273	400151890	#3	.344" x .406"	.875"	PKG	25 / PKG
10280	400151916	#4	.203" x .265"	.500"	PKG	100 / PKG
10281	400151924	#5	.203" x .265"	.625"	PKG	100 / PKG
10274	400151908	#6	.421" x .547"	.406"	PKG	25 / PKG
10282	400151932	#7	.203" x .265"	.750"	PKG	100 / PKG
10283	400472494	#8	.209" x .271"	.500"	PKG	100 / PKG
10284	400472502	#9	.209" x .271"	.620"	PKG	100 / PKG
10275	401901012	#10	.245" x .312"	.625"	PKG	25 / PKG
10276	401942990	#11	.310" x .375"	.562"	PKG	25 / PKG

KS 16604 Insulators

These insulators consist of a tubular shaped PVC material with a longitudinal slot. They are red in color. Insulators are used to insulate contacts and are provided in a number of sizes.

Netco #	PID #	Type	Length	UM	Notes
10250	400151825	List 1	.500"	PKG	100 / PKG
10251	400809042	List 2	.625"	PKG	100 / PKG
10252	401299474	List 3	.875"	PKG	100 / PKG



Netco Extruded Plastics, Inc.

30 Tower Street
Hudson, Mass. 01749
PH. (978) 562-3485
FAX. (978) 562-7205



www.netcoplastics.com